



Board of County Commissioners Agenda Request




Requested Meeting Date: February 24, 2026

Title of Item: Aitkin Airport Commissioner Appointments

<input type="checkbox"/> REGULAR AGENDA <input checked="" type="checkbox"/> CONSENT AGENDA	Action Requested: <input checked="" type="checkbox"/> Approve/Deny Motion <input type="checkbox"/> Adopt Resolution (attach draft) <input type="checkbox"/> Hold Public Hearing <i>*provide copy of hearing notice that was published</i>	<input type="checkbox"/> Direction Requested <input type="checkbox"/> Discussion Item <input type="checkbox"/> Information Only
Submitted by: David Minke		Department: Administration
Presenter (Name and Title):		Estimated Time Needed:
Summary of Issue: <p>The Aitkin Airport Commission consists of 5 members: Two (2) members shall be chosen by the City Council and three (3) members shall be chosen by the County Board. Each member shall serve for terms of three (3) years.</p> <p>The following current members' terms expired and need approved re-appointments to the Aitkin Airport Commissioner with each appointment to serve for a 3-year term (January 1, 2026 - December 31, 2028):</p> <p>John Welle, Aitkin County Engineer Mike Arnold</p>		
Alternatives, Options, Effects on Others/Comments:		
Recommended Action/Motion: Approve the re-appointments of John Welle, Aitkin County Engineer, and Mike Arnold to the Aitkin Airport Commissioner with each appointment to serve for a 3-year term (January 1, 2026 - December 31, 2028).		
Financial Impact: <i>Is there a cost associated with this request?</i> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>What is the total cost, with tax and shipping? \$</i> <i>Is this budgeted?</i> <input type="checkbox"/> Yes <input type="checkbox"/> No <i>Please Explain:</i>		

**Designed For
Skid Steers &
Farm Tractors.**



**For A Quote
Call Us At:
(615) 707-2278**

Limb Beaver 4 Series

Limb Beaver delivers a full line of heavy-duty brush and limb-removal attachments designed to outperform in the toughest vegetation conditions. Each model—built for skid steers, tractor loaders, excavators, and boom mowers—is precision-engineered to cut, clear, and control overgrowth with speed and accuracy.

LB 4

From dense brush and low-hanging limbs to overhang, saplings, and small trees, Limb Beaver attachments are built to tackle what standard equipment can't. Their rugged construction, powerful cutting systems, and operator-friendly design make them essential tools for maintaining everything from roadside corridors to remote trails.

Highway departments, county crews, farmers, hunting clubs, land managers, and property owners rely on Limb Beaver products to keep roadsides, easements, trails, lakeshores, and field edges clear and safe. Whether you're managing miles of right-of-way or reclaiming heavily overgrown acreage, Limb Beaver attachments deliver consistent performance and dependable results.

4 Foot Limb Trimming & Brush Clearing Attachment

LB 4SS for Skid Steers

- 48 inch cutting path
- Rotor speed of 3,000 RPM
- Cutting height up to 18 feet
- Cuts limbs up to 6 inches in diameter
- Tilt up to 45 degrees below horizontal position
- Offset vertical reach of 92 inches from center
- Offset to horizontal reach of 140 inches
- 90 degree swing from center in both directions
- Side vertical raised height of 216 inches
- Out front vertical raised height of 250 inches
- 34 double edge fixed teeth
- Weighs 950 pounds
- Hydraulic flow of 15 to 25 GPM



LB 4TR for Tractor Loaders

- 48 inch cutting path
- Rotor speed of 3,000 RPM
- Cutting height up to 70 inches plus pin height
- Cuts limbs up to 6 inches in diameter
- Hydraulic flow of 15 to 25 GPM
- Tilt up to 45 degrees below horizontal position
- Offset vertical reach of 92 inches from center
- Offset to horizontal reach of 140 inches
- 90 degree swing from center in both directions
- Side vertical raised height of 216 inches
- Out front vertical raised height of 250 inches
- Optional hydraulic swing
- 34 double edge fixed teeth
- Weighs 950 pounds



LB 4EX for Excavators & Boom Mowers

- 48 inch cutting path
- Rotor speed of 3,000 RPM
- Cutting height determined by excavator/boom mower
- Cuts limbs up to 6 inches in diameter
- Hydraulic flow of 15 to 25 GPM
- 34 double edge fixed teeth
- Weighs 400 pounds



Limb Beaver 4 Series

LB 4SS for Skid Steers


LB 4TR for Tractor Loaders

LB 4EX for Excavators
& Boom Mowers



Applications

- ▲ Encroaching or Overhanging Limb and Brush
- ▲ Farm Fields
- ▲ Trails
 - Snowmobile
 - Side by Side
 - Walking
- ▲ Right of Ways
 - Pipeline
 - Electric
 - Roads
 - Railroads
 - City Streets
- ▲ Line of Sight
- ▲ Easements
- ▲ Lake Side
- ▲ Creeks and Rivers
- ▲ Golf Courses
- ▲ Hunt Clubs
- ▲ Fence Lines
- ▲ Parks
- ▲ Recreational Areas
- ▲ Forestry Service



For **Video** - www.youtube.com/LimbBeaver

For **More Info** - www.LimbBeaver.com

For a **Quote** - Call Us At: (615) 707-2278

Limb Beaver
Thompson Station, TN 37179
Toll Free (844) 697-5505 • Sales@LimbBeaver.com • www.LimbBeaver.com